
Vision specialized for any profession

TECHNICAL INFORMATION



Minimum Fitting Height: 16mm lower/ 10mm upper Ink Marking: Green Invisible Marking: Red

	Fitting	"A" (see	"B" (see	Invisible
	Height	diagram)	diagram)	Marking
Shamir Autograph II - Office™	16mm lower / 10mm upper	2	12	FF0

Verification of the Lens

Verify lens at Near Reference Point.

How to fit Autograph II - Office™

Provide the following information to order:

- Patient's prescription (per conventional progressive lens)
- Mono Far PD and fitting height
- Frame data: A, B, DBL, or tracer file

Min Design Fitting Heights:

16mm lower/ 10mm upper

Min distance from fitting point to upper frame rim:

10_{mm}

Material Availability:

Material	Total Near Power Range	Prescribed ADD Power Range	
1.5 Hard Resin (C)	-6.00 to +6.00		
1.6 SuperLite™ (C)	-6.00 to +8.00	0.75 to 3.50	
1.58 Polycarbonate (C)	-6.00 to +8.00		

LEGEND:

• C-Clear • T7-Transitions® Signature7 • PH-Photochromic

• P-Polarized • TV-Transitions® Vantage® • TX-XTRActive™

• B - BluTech • D - Drivewea

NOTE: Prism to 10.00 Diopters

Maximum dynamic reduction -2.25

Additional Information

The full dynamic reduction is achieved at 8mm above the fitting point. Verify at near.



Helpful tip for ensuring maximum patient comfort:

To ensure optimal vision with maximum comfort, advise your patients to adjust the position of the computer screen to achieve the best natural head position in relation to their field of vision.